

ACJS 2024 ANNUAL MEETING MARCH 19-23, 2024 CHICAGO HILTON DOWNTOWN CONTINENTAL BALLROOM A CHICAGO, IL


VIPER
TRADESHOW SERVICES
25/5 NORTHWEST PKWY
ELGIN, IL 60124
P: 847.426.3100
F: 847.426.3111
www.vipertradeshow.com

DATE
1.15.24

BOOTH COUNTS
ALL BOOTHS ARE 10' X10'
UNLESS NOTED

Inventory as of 01/15/2024

Dimension	Size	Qty	SqFt
10'x10'	100	18	1,800
Totals:		18	1,800



KEY
FE-FIRE EQUIPMENT
ALL EXITS 6' UNLESS NOTED
ALL DRAPE USED MEETS
FLAME RETARDANT FIRE CODE

SHOW INFO
SHOW OPENS:
SHOW CLOSES:
MOVE IN:
MOVE OUT:
CONTACT:
PHONE:

CAPACITY INFO
GUESTS: N/A
TOTAL SQ FT: 3360
USABLE SQ FT: 3360
MAX OCCUPANCY: 224
MAX ALLOWED OCCUPANCY: 224
EXIT FEET RECD: 3'
FIRE EXITS GIVEN: 12
FIRE EXTINGUISHERS REQ: 1
FIRE EXTINGUISHERS GIVEN: N/A

DRAWN BY
M. MOSES

SCALE
1" = x UNITS

DISCLAIMER
Every effort has been made to ensure the accuracy of all information contained on this floor plan. However, no warranties, either expressed or implied, are made with respect to the floor plan. It is the responsibility of the exhibitor to verify all dimensions and locations. The exhibitor is responsible for the construction of the booth. It is the sole responsibility of the exhibitor to physically inspect the facility to verify all dimensions and locations.

Users that are business or unapproved and are not needed to meet the minimum exit requirement will have exit signs covered.

There will be no candles, pyro-technics or open flames that have not been properly permitted used in this event.

ROOM
MAX OCCUPANCY 3360 sqft divided by 15 = 224
Linear footage of exits REQUIRED, 224 divided by 60 = 3'
Fire Exits Req, 224 Times .02 = 4'
Fire Exits Given: 12
Fire Extinguishers Req: 3360 sqft divided by 3000 = 1
Fire Extinguishers Given: N/A