



Inventory as of 01/15/2026

Dimension	Size	Qty	SqFt
10'x10'	100	13	1,300
Totals:		13	1,300



ACJS 2026 ANNUAL MEETING
MARCH 3 - 7, 2026
MARRIOTT DOWNTOWN
FRANKLIN BALLROOM 7-10
PHILADELPHIA, PA

SHOW INFO	REVISION DATE	KEY	CAPACITY INFO	ROOM	DISCLAIMER
SHOW OPEN: 03/03/2026 SHOW CLOSES: 03/07/2026 MOVE IN: 03/02/2026 MOVE OUT: 03/08/2026 CONTACT: M. MOSES / M. THOMPSON PHONE: 215-923-4200	1.15.26	FE-FIRE EQUIPMENT ALL EXITS 6' UNLESS NOTED ALL DRAPE USED MEETS FLAME RETARDANT FIRE CODE	GUESTS: N/A TOTAL SQ FT: 5100 USABLE SQ FT: 5100 MAX OCCUPANCY: 340 MAX ALLOWED OCCUPANCY: 340 EXIT FEET REQD: 5' FIRE EXITS GIVEN: 30' FIRE EXTINGUISHERS REQD: 1 FIRE EXTINGUISHERS GIVEN: N/A	MAX OCCUPANCY 5100 sqft divided by 15 = 340 Linear footage of exits REQUIRED, 340 divided by 60 = 5' Fire Exits Req, 340 Times .02 = 6' Fire Exits Given: 30' Fire Extinguishers Req: 5100 sqft divided by 3000 = 1 Fire Extinguishers Given: N/A	Every effort has been made to ensure the plan is accurate of all information, either expressed or implied, made with respect to this floor plan. If the location of the building, columns, utilities or other architectural conditions change, or if there is a deviation from the construction or usage of an exhibit, it is the sole responsibility of the exhibitor to physically inspect the facility and make the necessary changes.
	DRAWN BY	SCALE			Doors that are blocked or unavailable and are not required to meet the minimum exit requirement will have exit signs covered.
	M. MOSES / M. THOMPSON	1" = x UNITS			There will be no candles, pyro-technics or open flames that have not been properly permitted used in this event.